

crypto_encrypt
mcnie3q1282
implementations

https://bench.cr.y.p.to
20230702

amd64 Bobcat
amd64 K8
amd64 K10 65nm
amd64 K10 45nm
amd64 K10 32nm
amd64 Bulldozer
amd64 Piledriver
amd64 Zen
amd64 Zen 2
amd64 Zen 3
amd64 Knights Landing
amd64 Golden Cove
amd64 Cascade Lake
amd64 Tiger Lake
amd64 Skylake+512x2
amd64 Ice Lake
amd64 Comet Lake
amd64 Cannon Lake
amd64 Coffee Lake
amd64 Kaby Lake
amd64 Skylake
amd64 Broadwell+AES
amd64 Haswell+AES
amd64 Ivy Bridge+AES
amd64 Sandy Bridge+AES
amd64 Sandy Bridge
amd64 Westmere
amd64 Core 2 45nm
amd64 Core 2 65nm
amd64 Gracemont
amd64 Tremont
amd64 Goldmont Plus
amd64 Goldmont
amd64 Airmont
amd64 Silvermont
amd64 Bonnell
ppc32 G3
riscv64 U54
mips32 Octeon II
armeabi Armada
armeabi Cortex-A7
armeabi Cortex-A8
armeabi Cortex-A9+NEON
armeabi Cortex-A15
aarch64 X-Gene
aarch64 Cortex-A53
aarch64 Cortex-A53+crypto
aarch64 Cortex-A57+crypto
aarch64 Cortex-A72
aarch64 Cortex-A72+crypto
aarch64 ThunderX2




Table of processor specifications and benchmarks. Each row corresponds to a processor model listed on the left. The table includes details such as core count, frequency, and specific processor names. For example, the first row is 'bBobcat: 2 x 1650MHz; 2011 AMD G-T56n; amd64; Bobcat (600F10); supercop-20230630'. The table continues with many other models like 'm4e50', 'saa', 'gcc16', 'hydra3', etc., ending with 'jms0145: 64 x 2500MHz; 2018 Cavium ThunderX2 CN9980; aarch64; ThunderX2 (431f0af1); supercop-20191017'.

Time

16777216

33554432

67108864